LAVENDER HARVESTER









PRICE LIST

Model	Description	Price
BE 300	Capacity Mc 7 . Mowing bar with two tilted disks, adjustable in height, width and inclination. Self-loading elevator with 9 pick-up bars with closely aligned spikes, automatic drop off system for the crop andeasy discharge. N° 01 axles L= 1500 mm.N° 02 Tyres 13.0/55 x 16 PR 12 IMPLEMENT . Fully hydraulic system controlled by industrial solenoid valves andelectric control panel. Hydraulic back door and automatic safety hooks.Lateral galvanised sides. Central drawbar with hydraulic cylinder to align the machine to thecrop. 2 wheel rakes, adjustable in height, width and inclination, with speed controlled by electronic box.	€ 33.600
BE 400	Capacity Mc 10 . Mowing bar with two tilted disks, adjustable in height, width and inclination. Self-loading elevator with 11 pick-up bars with closely aligned spikes, automatic drop off system for the crop andeasy discharge. N° 04 axles with customizable track width depending on the crop. N° 04 Tyres 13.0/55 x 16 PR 12 IMPLEMENT . Fully hydraulic system controlled by industrial solenoid valves andelectric control panel. Hydraulic back door and automatic safety hooks.Lateral galvanised sides. Central drawbar with hydraulic cylinder to align the machine to thecrop. 2 wheel rakes, adjustable in height, width and inclination, with speed controlled by electronic box.	€ 37.800
BE 500	Capacity Mc 14,5 . Mowing bar with two tilted disks, adjustable in height, width and inclination. Self-loading elevator with 11 pick-up bars with closely aligned spikes, automatic drop off system for thecrop and easy discharge. N° 04 axles with vcustomizable track width depending on the crop. N° 04 Tyres 11.5/80 x 15,3 PR 10 . Fully hydraulic system controlled by industrial solenoid valves andelectric control panel. Hydraulic back door and automatic safety hooks.Lateral galvanised sides. Central drawbar with hydraulic cylinder to align the machine tothe crop. Stars conveying wheels, adjustable in height, width and inclination, with speed controlled by electronic box.	€ 39.000
BE 600	Capacity Mc 21 . Mowing bar with with two tilted disks, adjustable in heigh, width and inclination. Self loading elevator with 11 pick-up bars with closely aligned spikes, automatic drop off system for thecrop and easy discharge. N° 04 axles with customizable track width depending on the crop. N° 04 Tyres 14.0/65 x 16 PR 14 IMPLEMENT. Fully hydraulic system controlled by industrial solenoid valves andelectric control panel. Hydraulic back door and automatic safety hooks.Lateral galvanised sides. Central drawbar with hydraulic cylinder to align the machine tothe crop. Stars conveying wheels, adjustable in height, width and inclination, with speed controlled by electronic box.	€ 41.600



OPTIONAL

EMERGENCY SPARE WHEEL KIT, INCLUDES: - EMERGENCY SPARE WHEEL FITTED ON BACK DOOR - N.01 SUPPORT FOOT FOR REPLACING THE WHEEL	Euro 950
HIGH DISCHARGE (SIDE ACCESS DOOR), INCLUDING: - REAR DISCHARGE H. MT 3 - ELECTRICAL CONTROL PANEL + STOP BUTTON ON THE LEFT BACK SIDE FOR ROTATION DISCHARGE + STOP BUTTON ON THE LEFT BACK SIDE FIR ROTATION CONVEYOR BOX - RIGHT SIDE ACCESS DOOR (ONLY FOR BE 400, BE 500 and BE 600)	Euro 14.700
HYDRAULIC BRAKE ON TWO WHEELS	Euro 900
DOUBLE WIDEANGLE CARDAN	Euro 950
SINGLE WIDEANGLE CARDAN	Euro 580
KIT FOR PLASTIC (FIBRELENE) BRUSHES Ø 660/750	Euro 620